

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/600,702	06/23/2003	Kazuto Kobayashi	NUM-0158	5741
23353	7590 12/27/2004		EXAMINER	
RADER FISHMAN & GRAUER PLLC LION BUILDING 1233 20TH STREET N.W., SUITE 501		PLLC	ALI, MOHAMMAD M	
)]	ART UNIT	PAPER NUMBER
	ON, DC 20036		3744	

DATE MAILED: 12/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

,	Application No.	Applicant(s)	0			
Advisory Action	10/600,702	KOBAYASHI ET AL				
Advisory Action	Examiner	Art Unit				
	Mohammad Ali	3744				
The MAILING DATE of this communication appe	ars on the cover sheet with the c	orrespondence add	ress			
THE REPLY FILED 08 December 2004 FAILS TO PLACE Therefore, further action by the applicant is required to a final rejection under 37 CFR 1.113 may only be either: (1 condition for allowance; (2) a timely filed Notice of Appel Examination (RCE) in compliance with 37 CFR 1.114.	void abandonment of this appliced in the control of this application and the control of the cont	cation. A proper rep ch places the applic	oly to a cation in			
PERIOD FOR RE	PLY [check either a) or b)]					
a) The period for reply expiresmonths from the mailing of the period for reply expires on: (1) the mailing date of this Advevent, however, will the statutory period for reply expire later the ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The da have been filed is the date for purposes of determining the period of extensions of time may be obtained under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened (b) above, if checked. Any reply received by the Office later than three more earned patent term adjustment. See 37 CFR 1.704(b).	isory Action, or (2) the date set forth in the an SIX MONTHS from the mailing date of FILED WITHIN TWO MONTHS OF THI te on which the petition under 37 CFR 1.1 sion and the corresponding amount of the statutory period for reply originally set in	f the final rejection. FINAL REJECTION. S 36(a) and the appropriate exithe final Office action; or	See MPEP e extension fee tension fee under (2) as set forth in			
1. A Notice of Appeal was filed on Appellant's 37 CFR 1.192(a), or any extension thereof (37 CF						
2. The proposed amendment(s) will not be entered b	ecause:					
(a) ⊠ they raise new issues that would require further consideration and/or search (see NOTE below);						
(b) ☐ they raise the issue of new matter (see Note below);						
(c) they are not deemed to place the application issues for appeal; and/or	in better form for appeal by mat	erially reducing or s	simplifying the			
(d) they present additional claims without canceling a corresponding number of finally rejected claims.						
NOTE: See Continuation Sheet.						
3. Applicant's reply has overcome the following reject						
 Newly proposed or amended claim(s) would canceling the non-allowable claim(s). 	be allowable if submitted in a s	eparate, timely file	d amendment			
5. The a) affidavit, b) exhibit, or c) request for application in condition for allowance because:		sidered but does NO	OT place the			
6. The affidavit or exhibit will NOT be considered be raised by the Examiner in the final rejection.	cause it is not directed SOLELY	to issues which we	ere newly			
7. For purposes of Appeal, the proposed amendment explanation of how the new or amended claims w			and an			
The status of the claim(s) is (or will be) as follows:						
Claim(s) allowed:						
Claim(s) objected to:						
Claim(s) rejected: <u>8-10</u> .						
Claim(s) withdrawn from consideration:						
8. The drawing correction filed on is a) app	proved or b) disapproved by	the Examiner.				
9. Note the attached Information Disclosure Stateme	ent(s)(PTO-1449) Paper No(s).	·				
10. Other:		WILLIAM DOERR	I FR			
Ma 12-20-04		PRIMARY EXAMI	NER			
11 70 - 70						

Continuation Sheet (PTOL-303) 10/600,702

Application No.

Continuation of 2. NOTE: The new limitations, "flat flange and first and second pipe sections projecting from a common flat surface" raise a new issue that would require further consideration and search.

25